



ICE

Dr Dianne Kirby

*Consultant Psychiatrist &
Addiction Medicine Specialist*



What is ice?





Thank you!



www.shutterstock.com · 227194027

Dianne.Kirby@mh.org.au

Useful references

- * Farnia et al. (2014) Randomized controlled trial of aripiprazole versus risperidone for the treatment of amphetamine-induced psychosis. *The American Journal of Drug and Alcohol Abuse*. 40(1): 10-15.
- * Lee, N., Johns, L., Jenkinson, R., Johnston, J., Connolly, K. & Cash, R. (2007) Clinical Treatment Guidelines for Alcohol and Drug Clinicians. No 14: Methamphetamine Dependence and Treatment. Fitzroy, Victoria: Turning Point Alcohol and Drug Centre Inc.
- * McKetin et al. (2013) Dose –Related Psychotic Symptoms in Chronic Methamphetamine Users. *JAMA Psychiatry*, vol 70 (3): 319-324.
- * Rawson et al. (2006) A Comparison of contingency management and cognitive-behavioural approaches for stimulant-dependent individuals. *Addiction*, 101: 267-274.
- * Salo et al. (2011) Psychiatric comorbidity in methamphetamine dependence. *Psychiatry Research*, 186: 356-361.
- * Shoptaw, S.J., Kao U, Ling W. Treatment for Amphetamine Psychosis. *Cochrane Database of Systematic Reviews*, 2009.